

MATERIAL SAFETY DATA SHEET

PRO-MA MAXI-SHEEN

COMPANY DETAILS:

PRO-MA SYSTEMS (CANADA) INC
#120, 6330-12 ST SE
CALGARY, AB T2H 2X2
TELEPHONE (403) 258-2115 FAX (403) 252-3161

EMERGENCY TELEPHONE:

1-613-996-6666
Use in case of chemical emergency only

GENERAL INFORMATION

Product name: Maxi Sheen

Manufacturer's Code: Z 16/A
CAS No.: MIXTURE
Product Description: Silicone Emulsion

U.N. Number:	N/A
Dangerous Goods Class/ and Subsidiary Risk:	N/A
Hazchem Code:	N/A
Poisons Schedule:	N/A

HAZARDOUS INGREDIENTS AS DEFINED IN 29 CFR 1910.1200 (Carcinogens identified with an asterix*)

NONE PRESENT

COMMENT: NONE

EFFECTS OF OVER EXPOSURE

SWALLOWED: Amounts transferred to the mouth by fingers etc. During normal use should not injure. Swallowing large amounts may cause digestive discomfort.

EYE: May cause temporary discomfort

SKIN: Single prolonged exposure (hours) causes no known effect. Several repeated prolonged exposures may cause slight irritation.

INHALED: No effect except very slight irritation and pain to the eyes and respiratory passages.

COMMENTS: No known adverse chronic health effects, but unnecessary exposure to any chemical should be avoided. This product, as with any chemical may enhance allergic conditions on certain people. We do not know of any medical conditions that might be aggravated by exposure to this product.

EMERGENCY AND FIRST AID PROCEDURES

SWALLOWED: No first Aid should be needed

EYE: Flush with water

SKIN: Wipe off and flush with water

INHALED: Remove to fresh air if discomfort develops

COMMENTS: NONE

PRO-MA MAXI-SHEEN M.S.D.S.

PAGE 2 OF 2

FIRE AND EXPLOSION DATA

FLASH POINT (Method Used): Open Cup/Closed Cup - None

AUTOIGNITION: Not determined

FLAMMABILITY LIMITS IN AIR: Lower: N/A Upper: N/A

EXTINGUISHING MEDIA: Water Water Fog X CO2 X Dry Chemical X Foam X Other

SPECIAL FIRE FIGHTING PROCEDURES: Self contained breathing apparatus and protective clothing should be worn in fighting fires involving chemicals.

UNUSUAL FIRE EXPLOSION HAZARDS: None known to Pro-Ma Systems

COMMENTS: NONE

Physical Data

BOILING POINT (at 760 MM HG): 212°F / 100°C

SPECIFIC GRAVITY (at 77°F / 25°C): 1.0

MELTING POINT : N/A

VAPOUR DENSITY (Air 1 at 77°F / 25°C): N/A

PERCENT VOLATILE BY WEIGHT: 60% (water)

EVAPORATION RATE (Ether 1): N/A

SOLUBILITY IN WATER: greater than 90%

ODOUR, APPEARANCE, COLOUR: Very little odour. Low viscosity white colored liquid

NOTE: NONE

REACTIVITY DATE

STABILITY: Stable

INCOMPATIBILITY (MATERIAL TO AVOID): Oxidizing material may cause a reaction

CONDITIONS TO AVOID: N/A

HAZARDOUS DECOMPOSITION PRODUCTS: Silicon Dioxide, Carbon Dioxide, Nitrogen Oxides, Sulfur Compounds, and traces of incompletely burned Carbon Compounds.

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: N/A

COMMENTS: NONE